Safety Data Sheet

SECTION 1: Identification

Identifier Code(s): TMSPWST

Product Name: Medama Power Strip

Manufactured For: Medama Solutions

1365 61st Street Brooklyn, NY 11219 (718) 492-7200

E-Mail: info@acejan.com

Product Use: Institutional Urethane Remover, as classified under Consumer Goods Regulations

Restrictions for Use: Application and sale for Institutional/Commercial use only. Not for retail sale.

Emergency Contact Information INFOTRAC 1-800-535-5053

Outside US and Canada 1-352-323-3500

NOTE: INFOTRAC and National Response Center emergency numbers to be used only in the event of

chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals.

SECTION 2: Hazard(s) Identification

Hazard Classification: Category 4

Signal Word: Warning

Symbol(s) of Product:



Hazard Statement(s):

P332+P353

P342+P340

H313 May be harmful in contact with skin
H303 May be harmful if swallowed
H315 Causes skin irritation
H320 Causes eye irritation

Precautionary Statement(s):

P102 Keep out of reach of children.

P280 Wear protective gloves/eye protection.
P264 Wash hands thoroughly after handling.

P102+P103 Keep out of reach of children. Read label before use.
P301+P330+P331 IF SWALLOWED, Rinse mouth. Do NOT induce vomiting.

If skin irritation occurs, rinse skin with water/shower.

If experiencing respiratory symptoms, remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338+P337+ P313 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses if

present and easy to do. continue rinsing. If eye irritation persists: Get medical

advice/attention.

P501 Dispose of contents/container in accordance with local /regional /national /international

regulation(s).

SECTION 3: Composition / Information on Ingredient(s)

Substance or Mixture: Mixture

Hazardous Ingredients	CAS Number	% WT	GHS Classification
Proprietary Mixture	Trade Secret	19.0%	Acute Toxicity Oral Category 4; Acute Toxicity Inhalation Category 4; Eye irritation Category 2A; Acute aquatic toxicity Category 2; Skin Sensitizer Category 1
2-Dimethylaminoethanol	108-01-0	2-4%	Flammable Liquids Category 3, Oral Category 4, Inhalation Category 3, Dermal Category 4, Skin corrosion Category 1B, Eye Damage Category 1, Aquatic Category 3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified hazardous to health or the environment.

SECTION 4: First-Aid Measures

Description of First-Aid Measures

Move to safe area. Treat symptomatically. If you feel unwell, seek medical advise immediately. No action shall be taken involving any personal risk or without suitable training.

Inhalation If signs of dizziness; remove the affected person to fresh air. If symptoms persist;

seek medical attention.

Skin Contact Remove contaminated clothing. Thoroughly flush and wash affected area with soap

and water. Launder contaminated clothing before reuse. If irritation persists, seek

medical attention. Wash affected clothing before reuse.

Eye Contact Rinse eyes under running water immediately. Check for and remove contact lenses,

if found. Continue to flush eyes under clean clear running water for 15 minutes while holding eyes open. Lift eyelids periodically when rinsing. If irritation persists,

seek medical attention.

Ingestion Rinse mouth out with water. Do not swallow rinse. Give two glasses of water for

dilution. DO NOT induce vomiting. Never give anything by mouth to an unconscious

person; seek medical attention.

Most important symptoms and effects, both acute and delayed

Use of this product should not be combined with citrus based products, this will cause an allergic reaction to the eyes. In addition, known cases when used to remove epoxy based finishes can cause chemical reaction, also resulting in an allergic reaction to the eyes. If an allergic reaction occurs (haze or halo in vision) discontinue use. Move to a well ventilated area. Apply allergy drops to eyes. Seek medical attention if symptoms persist.

SECTION 5: Fire-Fighting Measures

Suitable Extinguishing Media Use carbon dioxide, all purpose dry chemical, water, water fog, or chemical foam;

polymer foam is preferred for large fires. Product is not considered flammable or

combustible by WHMIS/OSHA criteria.

Hazards Developed due to Fire None known

Advice for Firefighters Firefighters should wear self-contained breathing apparatus. Floor may become

slippery if material is released, caution is advised.

SECTION 6: Accidental Release Measures

Personal Precautions and Protective

Equipment

Use protective equipment; gloves, eye protection, and shoe covers.

personnel.

Material Containment Prevent further spread of product to surrounding area(s), including into drains.

Clean-up Procedures

Use absorbent materials to mop up spill. Allow product in absorbent materials to

dry before disposal into standard trash. Do not dispose of liquid material into standard trash. Clean mop area with appropriate cleaning chemical after spill in

Protect area from further release of spread. This product does not pose any threat to area

removed.

SECTION 7: Handling and Storage

Precautions for Handling

Emergency Procedures

Do not use with citrus based chemicals. This may result in a chemical reaction resulting in a 'halo' or haze to vision. Avoid contact with skin and eyes. Do not swallow. Handle container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking. See Section 2 for precautions.

Safe Storage

Do not store in extremely high temperatures, above 115°F (46°C). Do not store in area below 32°F (0°C). Keep out of the reach of children. Keep container tightly closed. Keep away from food, drink animal feeding stuffs. Protect containers from abuse.

SECTION 8: Exposure Controls / Personal Protection

Exposure Limits - Components with Workplace Control Parameters

Substance	Results	ACGIH	NIOSH	OSHA	AIHA (WEEL)
Propriety mixture	Not Established				
2-Dimethylaminoethanol	TWA			196 - 340	25ppm

Key to Abbreviations:

STEL= Short Term Exposure Limits based on 15-minute exposures TWA= Time-Weighted Average based on 8h/day, 40h/week ACGIH= American Conference of Government Industrial Hygiene NIOSH= National Institute of Occupational Safety and Health OSHA= Occupational Safety and Health Administration TLV= Total Limit Volume

Allia - American Industrial

AIHA= American Industrial Hygiene Association

Engineering Controls

Handle and apply / use product in a work area that has positive and / or air flow. Avoid unventilated areas. Use fans when necessary.

Personal Protective Measures

Eye/Face Protection Use ASNI, NIOSH or European Standard EN166 approved safety glasses.

Skin Protection: Impervious gloves recommended for general protection. Nitrile gloves are appropriate.

Respiratory Protection: Not required

General Hygiene Considerations: Handle according to established industrial hygiene and safety practices. Avoid

contact with eyes and skin. Thoroughly wash after handling and before eating or drinking. There are no known hazards associated with this material when used as

recommended.

SECTION 9: Physical and Chemical Properties

Physical State: Semi-Paste

Color: White to slightly amber

Viscosity: Not Applicable

Solubility: Soluble in water

Specific Gravity: 1.04

Weight Solids (theoretical): Not Applicable

Volume Solids (theoretical): Not Applicable

Odor: Mild

Odor Threshold: Non-Determined

Vapor Pressure (mmHq): Not Established Vapor Density (Air=1) Heavier than Air

pH: 10.5-11.0

Melting Point: Not Determined

Freezing Point: < 0 deg F. Freeze/Thaw Stable to neg (-) 25 deg F

Boiling Point and Range: Not Established Flashpoint: Not Established

Evaporation Rate: Not Established Flammability (solid, gas): Non-Flammable

Upper / Lower Flammability Rate: Not Applicable Auto-Ignition Temperature: Not Applicable

Partition Coefficient (n-octanol/water): Not Established **Decomposition Temperature:** Not Established

Not Established for Architectual use or

Architectural Rule 1113 Volatile Organic Compounds g/l: Regulations

Volatile Organic Compounds %: 0% Consumer Goods Regulations

SECTION 10: Stability and Reactivity

Not Reactive Reactivity:

Chemical Stability: Stable. No known instability under normal storage conditions.

Other:

Hazardous Decomposition or By-

Products

Decomposition will not occur if handled and stored properly. In case of a fire,

carbon dioxide and carbon monoxide and smoke may be produced.

Possible Hazardous Reactions: No not use with di'limonene based chemicals. This will result in an allergic reaction

to the eyes. When used to remove some epoxy based products, an allergic

reaction to the eyes may occur.

Conditions to avoid Extreme temperatures will cause shortened shelf life of product.

Non-water miscible substances. Incompatible Materials

SECTION 11: Toxicological Information

Acute Toxicity

Substance	LC50 - Inhalation	LD50 - ORAL	LD50 - DERMAL
Proprietary Mixture	No Data	>1600 mg/kg	No Data
	Available	Rat	Available

2-Dimethylaminoethanol Rat (male) female
--

Chronic Effects

Substance	Skin Corrosion / Irritation	Eye Irritation / Damage	Respiratory or Skin sensitisation	Germ Cell Mutagenicity	Target Organs	Carcinogen or Potential
Proprietary Mixture	Skin Irritation	Eye Irritation	No Data Available	No Data Available	No Data Available	No Data Available
2-Dimethylaminoethanol	Corrosive Rabbit - 1hr	Corrosive - Rabbit	Corrosive 1hr - Rabbit - Buehler Test - No sensitisation	Hamster Ovary - Result Negative		Not Classified as

SECTION 12: Ecological Information

Aquatic and or Terrestrial Organism Tests Toxicity Tests

Substance	Test	Species	Results	
Proprietary Mixture	LC50		No Data	
Proprietary Mixture	EC50	-	No Data	
	LC50	Leuciscus idus	100-220 mg/l 96hr	
2 Dimethylemineethanel	LC50 Static	Leuciscus idus	146.63 mg/a 96hr	
2-Dimethylaminoethanol	EC50 Static	Desmodesmus subspicatus	66.08 mg/l 72hr	
	EC50 Static	Daphnia magna	98.37 mg/l 48hr	

Persistence and Degradability - Not Biodegradability

Substance	Test	Туре	Duration or Dose	Result	Class
Proprietary Mixture	Estimated		28 d	90% +	BOD
2-Dimethylaminoethanol	Aerobic		14 d	60.5%	Readily BOD

Bio accumulative Potential - According to data on the substances, not potentially bioaccumlative

No data available

Potential to Move from Soil to Groundwater

No data available

Other Adverse Effects

Substance	Test	Туре	Results	Sample Organism Tested	Reference for Ecological Effect
No other data available					

Other Information:

This product is classified as: Harmful to organisms, may cause long-term adverse effects in the aquatic environment

SECTION 13: Disposal Considerations

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Waste compliance with applicable laws are the responsibility solely of the waste generator. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Dispose of liquid surplus product via a licensed waste disposal contactor. Do not dispose of liquid product in landfill. See Section 8 for information on appropriate personal protective equipment.

SECTION 14: Transport Information

UN Number Not Regulated

UN Proper Shipping Name Not Regulated

Transport Hazards Class(es) Non Hazardous for Shipping

Packaging Group Not Regulated

IMDG Code (Environmental Hazards)

SECTION 15: Regulatory Information

US Federal Regulations

OSHA Hazard Communication Standard NOT Hazardous Chemical

(CFR29 1910.1200)

CERCLA - Comprehensive Response

None

Compensation and Liability Act:

This product does not contain a chemical known to the State of California to cause cancer, California Proposition 65:

birth defects or other reproductive harm.

All components of this product and on the TSCA Inventory or are exempt from TSCA TSCA - Toxic Substances Control Act:

Inventory requirements under 40 CFR 720.30.

USA - Clean Air Act

Superfund Amendments and Reauthorization Act of 1986 Title III

SARA Section	313	302	311/312
Proprietary Mixture	No	No	No SARA Harards
2-Dimethylaminoethanol	No	No	Hazard, Chronic Health Hazard

State Right-to-Know

otate regit to relieve					
Substance	California Prop 65	Mass- achusetts	New Jersey	Penn- sylvania	Rhode Island
Proprietary Mixture	No	277		5.300	
2-Dimethylaminoethanol	No	Yes	Yes	Yes	Yes

SECTION 16: Other Information

Date of Original May 15, 2018

Revision Date

Reason for Revision New

Notice to the Reader

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third party/persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.